

(B741 & B1272) LED Desk Board / LED Car Display with Remote 5V & 12V input

english model	color	Size	288*80*1	N. W	180g		
TBDF550-B741R	red	Box Size	300*85*6	G. W	235g	(1 set/box)	
TBDF550-B741Y	yellow	Carton Size	45*26*32	G. W	5kg	(20 set/c..)	
TBDF550-B741B	blue	Standard LED display + 12V cigarette lighter cable + Remote Control + sucker +					
TBDF550-B741W	white	World Language color					
TBDF550-B741G	green	LED display, 12V Car used wire, Car used sucker, Remote, CD(soft) Neutral packing(color box),					

World Language	color	Size	288*80*1	N. W	180g		
TBDF350-B1272R	red	Box Size	300*85*6	G. W	235g	(1 set/box)	
TBDF350-B1272Y	yellow	Carton Size	45*26*32	G. W	5kg	(20 set/c..)	
TBDF350-B1272B	blue	Language: Time, English and all European languages;					
TBDF350-B1272W	white	Display ability: 9 message, english 2000 chars.					
TBDF350-B1272G	green	Function: a - input message by USB Com port. b - input message by Button on the back of display.					

Multi Language	color	Size	288*80*1	N. W	180g		
TBDF300-B1664R	red	Box Size	360*140*	G. W	320g	(1 set/box)	
TBDF300-B1664Y	yellow	Carton	60*40*25	G. W	8kg	(20 set/c..)	
TBDF300-B1664B	blue	Language: world language: such as English, Simplified Chinese, Traditional Chinese, Korean, Japanese, Russian, and all European countries language;					
TBDF300-B1664W	white	Display ability: 8 message, english 2000 chars. chinese 1000 chars.					
TBDF300-B1664G	green	Function: input message by USB Com port. remote control message.					

Multi Language	color	Size	288*80*1	N. W	180g		
TBDF300-B1696R	red	Box Size	450*140*	G. W	450g	(1 set/box)	
TBDF300-B1696Y	yellow	Carton	60*50*25	G. W	11kg	(20 set/c..)	
TBDF300-B1696B	blue	Language: World language, such as English, Simplified Chinese, Traditional Chinese, Korean, Japanese, Russian, and all European countries language;					
TBDF300-B1696W	white	Display ability: 8 message for text or picture, english 6000 chars or chinese 3000 chars.					
TBDF300-B1696G	green	Brightness: 4 different levels, 25%, 50%, 75%, 100%;					

Multi-Language	color	Size	420*76*1	N. W	480g		
TBDF300-B16128R	red	Box size	550*140*	G. W	610g	(1 set/box)	
TBDF300-B16128Y	yellow	Carton	60*60*25	G. W	15kg	(20 set/c..)	
TBDF300-B16128B	blue	Function: Program the customers own message easily through the led badge software by pc;					
TBDF300-B16128W	white	Key switch: brightness key for 25%, 50%, 75%, 100% message key for 1-8 messages.					
TBDF300-B16128G	green	Charging time: 2-3 hours, Charging voltage: AC110-220V;					

Multi-Language	color	Size	260*112*	N. W	500g		
TBDF300-S1664R	red	Box size	420*160*	G. W	750g	(1 set/box)	
TBDF300-S1664Y	yellow	Carton	46*55*36	G. W	18kg	(20 set/c..)	
TBDF300-S1664B	blue	Standard accessories: CD, USB data line, Charger (USB cable to download information directly from					
TBDF300-S1664W	white						
TBDF300-S1664G	green						

Multi-Language	color	Size	360*112*	N. W	750g		
TBDF300-S1696R	red	Crystal led display: SMD 0603 MODEL: S1696. PIXEL: 19*72 Dots					

(B1696, B16128) LED DESK BOARD /LED MESSAGE SIGN-- **Rechargeable** (S)

Multi Language	color	Size	220*76*1	N. W	200g		
TBDF300-B1664R	red	Box size	360*140*	G. W	320g	(1 set/box)	
TBDF300-B1664Y	yellow	Carton	60*40*25	G. W	8kg	(20 set/c..)	
TBDF300-B1664B	blue	1) B1664: SMD 0603 high brightness Pixel resolution: 12*48 pixels; N. W: 200g; G. W: 320g; Dimension: 220*76*18mm (L*H*T) Packing size: 360*140*45mm (L*W*H)					
TBDF300-B1664W	white	20PCS/carton, carton size: 60*40*25CM, N. W: 6kg, G. W: 8kg.					
TBDF300-B1664G	green	2) B1696: SMD 0603 High brightness Pixel resolution: 12*72 pixels; N. W: 330g; G. W: 450g; Dimension: 320*76*18mm (L*H*T) Packing size: 450*140*45mm (L*W*H)					

Multi Language	color	Size	320*76*1	N. W	330g		
TBDF300-B1696R	red	Box size	450*140*	G. W	450g	(1 set/box)	
TBDF300-B1696Y	yellow	Carton	60*50*25	G. W	11kg	(20 set/c..)	
TBDF300-B1696B	blue	3) B16128: SMD 0603 High brightness Pixel resolution: 12*96 pixels; N. W: 480g; G. W: 610g; Dimension: 420*76*18mm (L*H*T) Packing size: 550*140*45mm (L*W*H)					
TBDF300-B1696W	white	20PCS/carton, carton size: 60*60*25CM, N. W: 12kg, G. W: 5kg.					
TBDF300-B1696G	green	4) Material: AL+ABS;					

Multi-Language	color	Size	420*76*1	N. W	480g		
TBDF300-B16128R	red	Box size	550*140*	G. W	610g	(1 set/box)	
TBDF300-B16128Y	yellow	Carton	60*60*25	G. W	15kg	(20 set/c..)	
TBDF300-B16128B	blue	5) Display languages: World language, such as English, Simplified Chinese, Traditional Chinese, Korean, Japanese, Russian, and all European countries language;					
TBDF300-B16128W	white	6) Display ability: 8 message for text or picture, english 6000 chars or chinese 3000 chars.					
TBDF300-B16128G	green	7) Brightness: 4 different levels, 25%, 50%, 75%, 100%;					

Multi-Language	color	Size	260*112*	N. W	500g		
TBDF300-S1664R	red	Box size	420*160*	G. W	750g	(1 set/box)	
TBDF300-S1664Y	yellow	Carton	46*55*36	G. W	18kg	(20 set/c..)	
TBDF300-S1664B	blue	8) Speed: 8 different levels by pc software ;					
TBDF300-S1664W	white	9) Function: Program the customers own message easily through the led badge software by pc;					
TBDF300-S1664G	green	10) Key switch: brightness key for 25%, 50%, 75%, 100% message key for 1-8 messages.					

Multi-Language	color	Size	360*112*	N. W	750g		
TBDF300-S1696R	red	11) Charging time: 2-3 hours, Charging voltage: AC110-220V;					
		12) Working time: 16hours for 50% brightness;					
		13) Standard accessories: CD, USB data line, Charger (USB cable to download information directly from					

(S1696, S16128) (Crystal led mini display / led desk board) **Rechargeable** (S)

Multi-Language	color	Size	260*112*	N. W	500g		
TBDF300-S1664R	red	Box size	420*160*	G. W	750g	(1 set/box)	
TBDF300-S1664Y	yellow	Carton	46*55*36	G. W	18kg	(20 set/c..)	
TBDF300-S1664B	blue	2) S1696: Crystal led display: SMD 0603 MODEL: S1696. PIXEL: 19*72 Dots					
TBDF300-S1664W	white	S1664-N. W: 500g; G. W: 750g;					
TBDF300-S1664G	green	S1696-N. W: 330g; G. W: 450g;					

96	TBDF300-S1696Y	yellow	box size	550*160*	G.W	1000g	(1 set/box)
	TBDF300-S1696B	blue	Carton	58*55*36	G.W	21kg	(20 set/c...)
	TBDF300-S1696W	white					
	TBDF300-S1696G	green					
128	Multi-Language	color					
	TBDF300-S16128R	red	S16128 s	460*112*	N.W	1000g	
	TBDF300-S16128Y	yellow	box size	680*160*	G.W	1200g	(1 set/box)
	TBDF300-S16128B	blue	Carton	72*55*36	G.W	26kg	(20 set/c...)
	TBDF300-S16128W	white					
TBDF300-S16128G	green						

MODEL: S1696, PIXEL: 12*96 Dots
 S1696-N.W: 750g; G.W: 1000g;
 Size: 360*112*22mm (L*H*T)
 Packing size: 550*160*50mm (L*W*H)
 20PCS/Carton, Carton size: 55*36*58CM, N.W: 18kg, G.W: 21kg.

3) S16128: Crystal led display: SMD 0603
 MODEL: S16128, PIXEL: 12*96 Dots;
 S16128-N.W: 1000g; G.W: 1200g;
 Size: 460*112*22mm (L*H*T)
 Packing size: 680*160*50mm (L*W*H)
 20PCS/Carton, Carton size: 55*36*72CM, N.W: 23kg, G.W: 26kg..



Material: crystal;
 Display languages: World language, such as English, Simplified Chinese, Traditional Chinese, Korean, Japanese, Russian, and all European countries language;
 Display ability: 8 message for text or picture, english 6000 chars or chinese 3000 chars.
 Brightness: 4 different levels, 25%, 50%, 75%, 100%;
 Speed: 8 different levels by pc software ;
 Function: Program the customers own message easily through the led badge software by pc;
 Key switch: brightness key for 25%, 50%, 75%, 100%. message key for 1-8 messages.
 Charging time: 2-3 hours, Charging voltage: AC110-220V;
 Working time: 16hours for 50% brightness;
 Standard accessories: CD, USB data line, Charger (USB cable), Download Software, Download Driver, Power

LED Display for Car / Taxi used-- Car roof (LED high light Lamp)

CAR	Multi-Language	color					
	TBDF600-A16128RDO	red					
	TBDF600-A16128YDO	yellow					
	TBDF600-A16128BDO	blue					
	TBDF600-A16128WDO	white					
TBDF600-A16128GDO	green						
	U disk switching						

Size: 800*250*250 mm (L*H*T)
 LED pixel: 128*16, (LED lamp)
 Can display time, With alarm buttons can be stored 99 messages, 240 bytes per message. World language.
 Display mode: Fonts can be multi-directional scroll.
 Frame Color: blue+white, white.
 Transmission: U disk/RS232 / Infrared Remote Control/ GSM / GPRS / GPS.
 Suitable environment: taxi or car roof
 Power : 12V, Built-in power supply, 40W (Max).

LED Removeable display, led display for hotel

D8	Multi-Language	color					
	TBDF475-12896RM	red #					
	TBDF475-12896RGM	R/G/Y #					
	U disk switching						

Pixel diameter : Φ3.75mm
 Display color: red , dual-color (red/green/yellow)
 Size: 125 × 64 × 48cm
 Resolution : 128 × 96 dots
 Display size : 608 × 456mm
 led display weight : 25.5Kg
 frame color : Luxury Titanium Iron / golden yellow
 Frame / Base Material: Titanium
 Rated voltage : AC110V-220V
 power supply : 60W
 update method : U disk Communication
 use of ambient temperature : -20 ℃ ~ +40 ℃
 Relative humidity : 20 % ~ 90%

Remote led display/led desk board by remote control (module)

D8	Multi-Language	color					
	TBDF762-D880R	RED	D880	660*110*	N.W	1500g	
	TBDF762-D880Y	YELLOW	box size	680*200*	G.W	2000g	(1 set/box)
	TBDF762-D880B	BLUE	Carton	55*42*72	G.W	26kg	(20 set/c...)
	TBDF762-D880G	GREEN					
	TBDF762-D880W	WHITE					
	TBDF762-D880RGY	R/G/Y					
TBDF762-D880RBP	R/B/P						

Pixel distance: PH7.62mm
 Pixel: 8*80 dots
 Color: red, yellow, blue, green, white, double color (red+green+yellow), double color (red+blue+pink).
 Outline size: 650*110*23mm (L*H*T)
 Box size: 700*250*50mm (L*W*H)
 Weight: N.W: 2kg G.W: 2.5kg
 Carton size: 730*520*270mm (L*W*H) 10pcs/carton
 Carton weight: N.W: 20kg G.W: 28kg
 Can used in shops, schools, offices, securities, financial services, airports, ports.
 There have many types, Single color, Multi-color, Full-color, indoor, semi-outdoor, outdoor and customization.
 Display English and other characters, graphic symbol and simple animations
 Stores up to 99 messages
 7 Fonts, each with regular, bold and wide mode; 66 other European characters
 25 methods of displaying your message (Cyclic, Scroll up, Scroll down, Open to Center, Open from Right, Open from left . . .)
 Approximately 7000 characters of memory space to store messages
 Built-in timer to power on/off during the day
 Built-in real time clock with 12-hour or 24-hour display format
 8 pre-defined graph for easy to recall
 8 user-defined graph
 30 pre-graphic symbols such as phone, car, clock, rocket, etc.
 8 pre-defined phrases and animations such as MERRY CHRISTMAS
 Sequencing multiple messages display



16 series) 16 Dots High led display ** High Quality aluminum frame ** (module 2

Multi-Language	color						
----------------	-------	--	--	--	--	--	--

16 d o t s	TBDF762-E1664R	RED	E1664	52*16*4	(N.W	2.0 kg	
	TBDF762-E1664G	GREEN					
	TBDF762-E1664B	BLUE	Carton	59*21*10	G.W	2.8 kg	(1 PCS/Ca..)
	TBDF762-E1664Y	YELLOW					
	TBDF762-E1664W	WHITE					
	TBDF762-E1664RGY	R/G/Y					
	TBDF762-E1664RPGY	R/PG/Y					
	TBDF762-E1664RBP	R/B/P					
	TBDF762-E1696R	RED	E1696	77*16*4	(N.W	3.0 kg	
	TBDF762-E1696G	GREEN					
	TBDF762-E1696B	BLUE	Carton	尺:83*21*10	G.W	4.2 kg	(1 PCS/Ca..)
	TBDF762-E1696Y	YELLOW					
	TBDF762-E1696W	WHITE					
	TBDF762-E1696RGY	R/G/Y					
	TBDF762-E1696RPGY	R/PG/Y					
	TBDF762-E1696RBP	R/B/P					
h i g h	TBDF762-E16128R	RED	E16128	100*16*4	(N.W	3.8 kg	
	TBDF762-E16128G	GREEN					
	TBDF762-E16128B	BLUE	Carton	尺:107*21*11	G.W	5.5 kg	(1 PCS/Ca..)
	TBDF762-E16128Y	YELLOW					
	TBDF762-E16128W	WHITE					
	TBDF762-E16128RGY	R/G/Y					
	TBDF762-E16128RPGY	R/PG/Y					
	TBDF762-E16128RBP	R/B/P					
	TBDF762-E16160R	RED	E16160	125*16*4	(N.W	4.8 kg	
	TBDF762-E16160G	GREEN					
	TBDF762-E16160B	BLUE	Carton	尺:132*21*11	G.W	7.0 kg	(1 PCS/Ca..)
	TBDF762-E16160Y	YELLOW					
	TBDF762-E16160W	WHITE					
	TBDF762-E16160RGY	R/G/Y					
	TBDF762-E16160RPGY	R/PG/Y					
	TBDF762-E16160RBP	R/B/P					
16 d o t s	TBDF762-E16192R	RED	E16192	150*16*4	(N.W	5.8 kg	
	TBDF762-E16192G	GREEN					
	TBDF762-E16192B	BLUE	Carton	尺:157*21*11	G.W	8.5 kg	(1 PCS/Ca..)
	TBDF762-E16192Y	YELLOW					
	TBDF762-E16192W	WHITE					
	TBDF762-E16192RGY	R/G/Y					
	TBDF762-E16192RPGY	R/PG/Y					
	TBDF762-E16192RBP	R/B/P					
	TBDF762-E16224R	RED	E16224	174*16*4	(N.W	6.8 kg	
	TBDF762-E16224G	GREEN					
	TBDF762-E16224B	BLUE	Carton	尺:181*21*11	G.W	9.5 kg	(1 PCS/Ca..)
	TBDF762-E16224Y	YELLOW					
	TBDF762-E16224W	WHITE					
	TBDF762-E16224RGY	R/G/Y					
	TBDF762-E16224RPGY	R/PG/Y					
	TBDF762-E16224RBP	R/B/P					
h i g h	TBDF762-E16256R	RED	E16256	198*16*4	(N.W	7.8 kg	
	TBDF762-E16256G	GREEN					
	TBDF762-E16256B	BLUE	Carton	尺:205*21*11	G.W	11 kg	(1 PCS/Ca..)
	TBDF762-E16256Y	YELLOW					
	TBDF762-E16256W	WHITE					
	TBDF762-E16256RGY	R/G/Y					
	TBDF762-E16256RPGY	R/PG/Y					
	TBDF762-E16256RBP	R/B/P					
	TBDF762-E16288R	RED	E16288	223*16*4	(N.W	8.8 kg	
	TBDF762-E16288G	GREEN					
	TBDF762-E16288B	BLUE	Carton	尺:230*21*11	G.W	12 kg	(1 PCS/Ca..)
	TBDF762-E16288Y	YELLOW					
	TBDF762-E16288W	WHITE					
	TBDF762-E16288RGY	R/G/Y					
	TBDF762-E16288RPGY	R/PG/Y					
	TBDF762-E16288RBP	R/B/P					
16 d o t s	TBDF762-E16320R	RED	E16320	247*16*4	(N.W	9.5 kg	
	TBDF762-E16320G	GREEN					
	TBDF762-E16320B	BLUE	Carton	尺:254*21*11	G.W	13.2 kg	(1 PCS/Ca..)
	TBDF762-E16320Y	YELLOW					
	TBDF762-E16320W	WHITE					
	TBDF762-E16320RGY	R/G/Y					
	TBDF762-E16320RPGY	R/PG/Y					
	TBDF762-E16320RBP	R/B/P					



USB or RS232 or RS485 or remote



LED Full color display (P6,P7.62,P8,P10) (SMD 3528 FULL COLOR)

	Multi-Language	color	SIZE (L*H*T) MM	G.W-KG	Packing size (CM)	详细图展
P6	TBDP6-G1664RGB	P6	414*126*55	3.0	50*20*10	
	TBDP6-G1696RGB		606*126*55	3.5	68*20*10	
	TBDP6-G16128RGB	16	798*126*55	4.0	88*20*10	
	TBDP6-G16160RGB	dots	990*126*55	4.5	107*20*10	
	TBDP6-G16192RGB		1182*126*55	5.0	126*20*10	
	TBDP6-G16224RGB	full	1374*126*55	5.5	145*20*10	
	TBDP6-G16256RGB	color	1566*126*55	6.0	165*20*10	
	TBDP6-G3264RGB	P6	414*222*55	4.0	50*30*10	

TBDP6-G3296RGB		606*222*55	5.0	68*30*10
TBDP6-G32128RGB	32	798*222*55	6.0	88*30*10
TBDP6-G32160RGB	dots	990*222*55	7.0	107*30*10
TBDP6-G32192RGB		1182*222*55	8.0	126*30*10
TBDP6-G32224RGB	full	1374*222*55	9.0	145*30*10
TBDP6-G32256RGB	color	1566*222*55	10.0	165*30*10



Multi-Language		color	SIZE (L*H*T) MM	G.W-KG	Packing Size (CM)
TBDP762-G1664RGB	P7.62		518*152*55	3.3	60*20*10
TBDP762-G1696RGB			762*152*55	3.8	84*20*10
TBDP762-G16128RGB	16		1005*152*55	4.3	108*20*10
TBDP762-G16160RGB	dots		1250*152*55	4.8	133*20*10
TBDP762-G16192RGB			1493*152*55	5.3	158*20*10
TBDP762-G16224RGB	full		1737*152*55	5.8	180*20*10
TBDP762-G16256RGB	color		1981*152*55	6.3	206*20*10
TBDP762-G3264RGB	P7.62		518*274*55	5.0	60*35*10
TBDP762-G3296RGB			762*274*55	6.0	84*35*10
TBDP762-G32128RGB	32		1005*274*55	7.0	108*35*10
TBDP762-G32160RGB	dots		1250*274*55	8.0	133*35*10
TBDP762-G32192RGB			1493*274*55	9.0	158*35*10
TBDP762-G32224RGB	full		1737*274*55	10.0	180*35*10
TBDP762-G32256RGB	color		1981*274*55	11.0	206*35*10



Multi-Language		color	SIZE (L*H*T) MM	G.W-KG	Packing size (CM)
TBDP10-G1664RGB	P10		670*190*55	4.0	75*26*10
TBDP10-G1696RGB			990*190*55	4.5	117*26*10
TBDP10-G16128RGB	16		1310*190*55	5.0	138*26*10
TBDP10-G16160RGB	dots		1630*190*55	5.5	170*26*10
TBDP10-G16192RGB	full		1950*190*55	6.0	202*26*10
TBDP10-G16224RGB	color		2270*190*55	6.5	235*26*10
TBDP10-G16256RGB			2590*190*55	7.0	265*26*10
TBDP10-G3264RGB	P10		670*350*55	7.0	75*42*10
TBDP10-G3296RGB			990*350*55	8.0	117*42*10
TBDP10-G32128RGB	32		1310*350*55	9.0	138*42*10
TBDP10-G32160RGB	dots		1630*350*55	10.0	170*42*10
TBDP10-G32192RGB	full		1950*350*55	11.0	202*42*10
TBDP10-G32224RGB	color		2270*350*55	12.0	235*42*10
TBDP10-G32256RGB			2590*350*55	13.0	265*42*10



P
7
6
2

P
10